Wrangler Buyers Guide.

November 2026



Jeep®

Wrangler

RUBICON

Engine
2.0L GMET4 DOHC TC with ESS
200kW 400Nm

Transmission
8-Speed Automatic
Four Wheel Drive

4x4 System
Rock-Trac Active On-Demand 4x4

Body Styles
4-Door

Features

- Rock-Trac® Active On-Demand 4x4 System (4:1 Transfer Case)
- 77.2:1 Crawl Ratio
- Tru-Lok® Front & Rear Locking Differentials
- Electronic Front Sway Bar Disconnect
- Steel Front Bumper
- Performance Suspension
- Heavy Duty Dana Full-Float Rear Axle
- Heavy Duty Rock Slider W/Step Assist
- 32” Off-Road Tyres
- 17-Inch Machined / Painted Black Alloy Wheels
- Soft Spare Tyre Cover
- Quick Release Full Metal Doors
- Programmable Auxiliary Switch Bank
- Off-Road+ Mode
- Nappa Leather Trimmed Seats
- 12-Way Power Adjustable Front Seats (4-Door)
- Hard Top Headliner
- Leather-Wrapped Shift Knob & Parking Brake Handle
- Heated Front Seats
- Heated Steering Wheel
- Deep Tint Sunscreen Windows
- 7.0” Driver Information Display
- Uconnect 12.3-Inch Touchscreen
- Wireless Apple CarPlay® (2)(4) & Android Auto™ (3)(4)
- Satellite Navigation
- 9-Speaker Alpine Premium Audio System with Subwoofer
- LED Exterior Lighting
- LED Ambient Interior Lighting
- Push-Button Start and Remote Proximity Keyless Entry
- Remote Start System
- Security Alarm
- Forward Collision Warning Plus
- Adaptive Cruise Control with Stop
- Blind Spot Monitor and Rear Cross Path Detection
- Forward Facing TrailCam
- Rearview Camera & Rear Parking Sensors



MODEL HIGHLIGHTS

Jeep

Wrangler

SPECIFICATIONS

Capability & Performance	Code	Rubicon 4-Door
Rock-Trac®Active On-Demand 4X4 System	DHF	•
2-Speed Transfer Case	-	•
Tru-Lok® Front Locking Differential	DSL	•
Tru-Lok® Rear Locking Differential	DSH	•
Off-Road+ Mode	XG7	•
Rear Stabiliser Bar	SHF	•
Electronic Front Stabiliser Bar Disconnect	SHG	•
Dana M210 Front Axle	DJE	•
Dana M220 Full Float Rear Axle	DRN	•
Rear Axle Ratio 4.10	DMF	•
Auxiliary Switches (x4)	LH2	•
240A Alternator	BAL	•
700A Maintenance Battery	BCH	•
Skid Plate - Fuel Tank	XEE	•
Skid Plate - Transfer Case	XEF	•
Skid Plate - Transmission	XE9	•
Steel Front Bumper	MC6	•
Performance Suspension	SDD	•
Matching Spare Alloy Wheel	WKB	•
Wash-Out interior with Drain Plugs	-	•

Safety, Security & Driver Assistance	Code	Rubicon 4-Door
Electronic Stability Control	BNB	•
Hill Start Assist	BNG	•
Selec-Speed Control	BNK	•
Traction Control	BNM	•
Electronic Roll Mitigation	BNS	•
Trailer Sway Control	BNT	•
Heavy Duty 4-Wheel Disk Brakes with ABS	BR2	•
Sport Bar	CLM	•

Safety, Security & Driver Assistance (Continued)	Code	Rubicon 4-Door
Remote Proximity Keyless Entry	GXD	•
Sentry Key Theft Deterrent System	GXX	•
Security Alarm	LSB	•
6 Airbags (2 Front, 2 Side, 2 Side Curtain)	-	•
Parkview Reverse Parking Camera	XAC	•
Forward Facing TrailCam	XNY	•
ParkSense Rear Park Assist System	XAA	•
Cruise Control	NHM	•
Adaptive Cruise Control with Stop	NH3	•
Full Speed Forward Collision Warning Plus	LSU	•
Blind Spot Monitoring	XAN	•
Rear Cross Path Detection	-	•
Selectable Tyre Fill Alert	LA5	•
Rear Seat Reminder Alert	JFB	

Audio & Connectivity	Code	Rubicon 4-Door
12.3-Inch UConnect 5 Touchscreen with: Bluetooth Phone & Audio AM/FM/DAB+ Radio Wireless Apple CarPlay® Wireless Android Auto™	UPX	•
7.0" Multi-View Driver Information Display	JAJ	•
Satellite Navigation	JLN	•
9-Speaker Alpine Premium Audio system including subwoofer	RC4	•
Steering Wheel Mounted Audio Controls	RDZ	•
Media Hub (USB, AUX)	RSF	•
Remote USB Port	RSX	•

Standard (●) Option (○) Not Offered (-)

Jeep®

Comfort & Convenience	Code	Rubicon 4-Door
Automatic Headlamps	LMG	•
Automatic High Beam Headlamps	LMS	•
Automatic Headlamp Leveling System	JKJ	•
Rear View Auto Dim Mirror	GNK	•
Remote Start System	XBM	•
Air Conditioning with Automatic Temperature Control	HAB	•
Speed-Sensitive Power Locks	JPH	•
Power Adjustable, Heated Mirrors	GTB	•
Power Windows	JPY	•
12V Auxiliary Power Outlet	JJJ	•
12V Auxiliary Power Outlet - Rear	JJM	•
Tilt/Telescope Steering Column	SUD	•
Freedom Panel Storage Bag	CS2	•
Rear Window Defroster	GFA	•

Exterior	Code	Rubicon 4-Door
Alloy Wheels - 17-inch	-	•
Heavy Duty Rock Slider with Step Assist	MMU	•
Grille - Body Colour/Neutral Grey	MF4	•
Fender Flares - Black	MM2	•
Hard Top - Removable, Black 3-Piece	HT1	•
Sky-One-Touch Power Top	STJ	O
Deep Tint Sunscreen Windows #	GCD	•
Acoustic Laminated Front Door Glass	GAP	•
Quick Release Full Metal Doors	GCE	•
Fold Down Windscreen	-	•
Tinted Windshield Glass	GBB	•
Front Windshield - Corning® Gorilla® Glass	GMA	•
Front Door Tinted Glass	GCB	•
Exterior Mirrors - Black	LE4	•
Exterior Mirrors with Supplemental Signals	LEB	•

Exterior (Continued)	Code	Rubicon 4-Door
Exterior Mirrors - Power Heated	GTB	•
Headlamps - LED	LPX	•
Fog Lamps - LED	LNV	•
Tail Lamps - LED	LAY	•
Daytime Running Lamp System - LED	LPY	•
Tailgate Mounted Full Size Tyre Carrier	TBR	•
Spare Tyre Cover	CSA	•
Rubicon Hood Decal	MYA	•
Vented Hood	-	•
Grey/Red Trail Rated Badge	MTB	•
Windshield Integrated Stealth Antenna	RDL	•
Black Fuel Filler Door	XJN	•
Rear Window Wiper	JHB	•

Interior	Code	Rubicon 4-Door
Seat - Nappa Leather Trimmed Bucket	*VL	•
Seat - Heated Front	JPM	•
Rear Seat - Folding	CFM	-
Rear Seat - 60/40 Split Folding	CFN	•
Front Passenger 12-Way Power Seat	JWG	•
Driver 12-Way Power Seat	JVG	•
Floor Mats - Front & Rear	CLE	•
Steering Wheel - TechnoLeather Wrapped	SCJ	•
Steering Wheel - Heated	NHS	•
Leather-Wrapped Shift Knob	CVW	•
Leather-Wrapped Parking Brake Handle	CVP	•
Premium Door Trim Panel	CBF	•
Front Seat Back Map Pockets	CSM	•
Sun Visors w/Illuminated Vanity Mirrors	GND	•
Passenger Assist Handles	CSP	•
LED Ambient Interior Lighting	LHA	•
Hard Top Headliner	CHD	•
Cargo Area Tie Down Loops	CKT	•

Standard (●) Option (○) Not Offered (-)

(#) Deep Tint Windows applies to rear passenger and rear cargo windows only.
Driver and front passenger windows and windscreen are not tinted.

	Rubicon
Option Code	VLX9
Seat Material	Nappa Leather-trimmed
Seat Colour	Black
Instrument Panel	Premium Wrapped
Steering Wheel	TechnoLeather
Exterior Colour	
Bright White (PW7)	•
Black (PX8)	O
Granite (PAU)	O
'41 (PJ5)	O
Firecracker Red (PRC)	O
Hydro Blue (PBJ)	O
Joose (PL4)	O

Option (O) Standard (S) Not Available (-)



VLX9 - Black Nappa Leather Trimmed Bucket Seats
(Standard - Rubicon)



WFV - 17-Inch Machined Painted
Black Wheels
(Standard on Rubicon)

Wrangler



PW7 - Bright White



PX8 - Black



PRC - Firecracker Red



PAU - Granite



PBJ - Hydro Blue



PL4 - Joose
April 2026 start of production



PJ5 - ‘41

EXTERIOR COLOURS

Jeep

Wrangler

TECHNICAL INFORMATION

	Rubicon 4-Door 2.0L 8AT 4x4
Body & Chassis	
Layout	Front Engine 4x4
Construction	Body on Frame Chasis, open steel and aluminium body
Assembly Plant	Toeldo Supplier Park. Toledo, Ohio. USA.
Doors	4-Door
Seats	5
Powertrain	
Description	2.0L GMET4 DOHC TC with ESS
Capacity	1,995
Cylinders	4
Configuration	Inline
Aspiration (Natural / Forced)	Turbocharged
Max. Power (kW @ rpm)	200 @ 5250
Max. Torque (Nm @ rpm)	400 @ 3000-4500
Valves	16
Compression	10:1
Bore & Stroke (mm)	84 x 90
Fuel [1]	
System	Sequential, Multi Port, Electronic, Returnless
Type	MIN RON 95
Fuel Tank Capacity (L)	81
Economy (Urban, L/100km)	12.1
Economy (Highway, L/100km)	9.0
Economy (Combined, L/100km)	10.2
Emissions	
Emission Standard Met	Euro 6
Emissions (Combined, CO_2 g/km)	223
Steering	
Type	Electro-Hydraulic Power
Turning Circle - Kerb to Kerb (m)	11.8
Column Adjustment	Tilt/Telescopic

	Rubicon 4-Door 2.0L 8AT 4x4
Weights	
Tare Weight (kg)	2,154
Gross Vehicle Mass (kg)	2,574
Max. Braked Towing Capacity (kg) [9]	2,495
Max. Unbraked Towing Capacity (kg)	750
Max. Tongue Download (kg) [5]	250
Gross Combined Mass (kg) Incl. Braked Towing	4,819
Transmission	
Type	8-Speed Automatic
Ratio - 1st	4.71
Ratio - 2nd	3.13
Ratio - 3rd	2.10
Ratio - 4th	1.67
Ratio - 5th	1.28
Ratio - 6th	1.00
Ratio - 7th	0.84
Ratio - 8th	0.67
Reverse	3.30
Brakes	
Front - Type	Ventilated disk, floating twin piston caliper with ABS
Front - Size (mm)	330 x 28
Rear - Type	Solid disk, floating single piston caliper with ABS
Rear - Size (mm)	342 x 14
Wheel & Tyre	
Wheel Type	Alloy
Wheel Size (Inches)	17.0 x 7.5
Tyre Size	255 / 75
Spare Wheel	Tailgate Mounted - Matching Alloy Wheel

Jeep®

Weights & Capacities	Rubicon 4-Door 2.0L 8AT 4x4
Dimensions	
Length (mm)	4,882
Width (mm)	1,894
Height (mm)	1,901
Wheelbase (mm)	3,008
Front Track (mm)	1,598
Rear Track (mm)	1,598
Suspension	
Type	Coil
Front	Solid Axle, Link Coil, Leading Arms, Track Bar, Coil Springs, Stabiliser Bar
Rear	Solid Axle, Link Coil, Leading Arms, Track Bar, Coil Springs, Stabiliser Bar
Electronic Stabiliser Bar Disconnect	Front
4x4 Specifics	
4x4 System	Rock-Trac® Active On-Demand 4x4
Operating Mode	2WD High; 4WD High Auto; 4WD High; Neutral; 4WD Low
Transfer Case	2-Speed
Low Range Ratio	4.0:1
Rear Axle Ratio	4.10
Front Axle	Dana M210
Rear Axle	Dana M220
Electronic Locking Differentials	Tru-Lock Front & Rear
Running Clearance (mm)	255
Approach Angle (Degrees)	43.9
Breakover Angle (Degrees)	22.6
Departure Angle (Degrees)	37.0
Wading Depth (mm) [6]	760

Warranty & Service	Rubicon 4-Door 2.0L 8AT 4x4
Service Intervals	12,000km / 12 months
Warranty	3 year / 100,000km [7]
Roadside Assist	3 years

Jeep®

jeep.co.nz

*Overseas models may be shown in imagery, New Zealand model and actual colours may vary. All product illustrations and specifications are based upon current information. Stellantis (Australia and New Zealand) Pty Ltd ABN 23 125 956 505 trading as Stellantis New Zealand reserves the right to make changes from time to time, without notice or obligation, in prices, specifications, technical information, accessories, colours, materials and to change or discontinue models. All vehicles, models, features, colours and/or accessories shown may not be available in New Zealand from time to time or at all. “Optional” may mean available as an option but only at an additional cost. For the details of the vehicles, models, features, colours and/or accessories currently available in New Zealand, please contact an authorised Jeep Dealer.

(1) Fuel consumption figures are according to Australian Design Rule (ADR) 81/02. Driving style, road and traffic conditions, fitment of accessories, environmental influences and vehicle condition can lead to consumption figures which may differ from those calculated with these standards. (2) Apple CarPlay® requires an iPhone 5 or later version of iPhone, running iOS 7.1 or above. The function of Apple CarPlay® requires mobile data for full capability. Compatibility and performance can vary and change. (3) Android Auto™ requires an Android 5.0 or later version of Android, installed with the Android Auto™ Application. The function of Android Auto™ requires mobile data for full capability. Compatibility and performance can vary and change. (4) Android Auto™ and Apple Carplay® is available on, and compatible with, Uconnect® Systems installed in select Chrysler and Jeep vehicles. Uconnect® Systems do not support the Pandora® application, but it may appear as part of Android Auto® and/or Apple Carplay®. Stellantis New Zealand is not responsible for the availablility, compatibility or use of applications, products and software supplied or supported by third parties. (5) Trailer tongue download subject to certain operating conditions. Please refer to Owner’s Manual for full details. (6) This vehicle is capable of crossing through water at a depth of 760mm (30 inches) at speeds no greater than 8km/h (5mph). Water ingestion can occur causing damage to your vehicle that may not be covered by the New Vehicle Warranty. (7) 5 years from the date of vehicle registration or 100,000km (whichever comes first). (8) After your warranty period expires, scheduled maintenance services must be conducted through a Jeep Authorised Dealership at manufacturer specified intervals to maintain Lifetime Roadside Assist. Free Roadside assist is not redeemable for cash. (9) Maximum towing capacity is based on Aggregate Trailer Mass (ATM). Please follow towing information in the Owner Manual or consult your preferred Jeep dealer for details.