# JEEP GRAND CHEROKEE

BUYER'S GUIDE DECEMBER 2020

Jeep

#### **GRAND CHEROKEE** Jeep

**MODEL HIGHLIGHTS\*** 

#### LIMITED

#### Engine

3.6L V6 Petrol 213 kW 347 Nm

3.0L V6 Turbo Diesel 184 kW 570 Nm

#### Transmission

8-Speed Automatic 4x4

#### Maximum Towing Capacity

**Braked Trailer** 3.6L 4x4 - 2,812kg 3.0L 4x4 - 3,500kg

#### **Fuel Consumption**

Combined (L/100km) 3.6L 4x4 - 10.0 3.0L 4x4 - 7.0

#### Features

- 20-Inch Alloy Wheels
- Uconnect 8.4-Inch Touchscreen
- Satellite Navigation
- Capri Leather Seats
- 9-Speaker Alpine<sup>®</sup> Sound System
- Forward Collision Warning
- Lane Departure Warning
- Blind Spot Monitoring with Rear Cross Path Detection
- Adaptive Cruise Control
- Parallel and Perpendicular Park Assist
- Advanced Brake Assist System
- Power Liftgate
- Deep Tinted Privacy Glass
- Heated Steering Wheel
- Radio, Driver Seat & Mirror Memory

#### TRAILHAWK

184 kW 570 Nm

8-Speed Automatic

Maximum Towing Capacity

Transmission

**Braked Trailer** 

3.0L 4x4 - 3.500kg

**Fuel Consumption** 

3.0L 4x4 - 7.0

Features

System

Control

Differential

All Terrain Tyres

Suede Inserts

Combined (L/100km)

(in addition, or replacing Limited):

• Jeep Quadra-Lift Air Suspension

Rear Electronic Limited Slip

Selec-Speed with Hill Ascent

Four Underbody Skid Plates

Nappa Leather Seats with

Unique Front & Rear Facia

Black Anti-Glare Hood Decal

Heated Second Row Seats

Front Red Recovery Tow Hooks

Ventilated Front Seats

• 18-Inch Off-Road Alloy Wheels

Jeep Quadra-Drive II 4x4

4x4

#### Engine 3.0L V6 Turbo Diesel

#### Transmission

4x4

#### Maximum Towing Capacity

Braked Trailer

#### Fuel Consumption

Combined (L/100km) 3.0L 4x4 - 7.0 5.7L 4x4 - 13.0

#### Features

#### (in addition, or replacing Limited):

- Jeep Quadra-Lift Air Suspension
- Rear Electronic Limited Slip Differential
- Dual-Pane Panoramic Sunroof
- Nappa Leather Seats
- Ventilated Front Seats
- Wood & Leather Wrapped Steering Wheel







#### Engine 3.0L V6 Turbo Diesel 184 kW 570 Nm

5.7L V8 Petrol 259 kW 520 Nm

8-Speed Automatic

3.0L 4x4 - 3,500kg 5.7L 4x4 - 3,500kg

Combined (L/100km)

- Jeep Quadra-Drive II 4x4 System

## **OVERLAND**

MODEL HIGHLIGHTS\*

#### SRT

#### TRACKHAWK

#### Engine

6.4L V8 Petrol 344 kW 624 Nm

Transmission

8-Speed Automatic 4x4

Performance 0-100km/h in 4.9 seconds

Fuel Consumption Combined (L/100km) 6.4L 4x4 - 13.5

#### Features:

- 6.4L HEMI V8
- Brembo<sup>®</sup> High Performance Brake System
- Adaptive Damping Suspension
- Quadra-Trac Active on Demand 4x4 System
- Rear Electronic Limited Slip
   Differential
- SRT Performance Bonnet with Functional Vents
- SRT Flat-Bottomed Steering
   Wheel
- SRT Leather and Suede Seats
- Nappa Leather Door Trim
- SRT Performance Pages
- Launch Control
- Black Velour Floor Mats with SRT Logo
- Performance Instrument Cluster with 300kp/h Speedometer

Engine 6.2L V8 Petrol 522 kW 868 Nm

Transmission 8-Speed Automatic 4x4

Performance 0-100km/h in 3.7 seconds

#### Fuel Consumption

Combined (L/100km) 6.2L 4x4 - 16.8

#### Features:

- The Most Powerful V8 SUV Ever
- 6.2L Hellcat Supercharged Hemi V8
- 3.7 Second 0-100km/h
- 11.6 Second Quarter Mile
- 289km/h Top Speed
- Largest Front Brakes Ever Fitted
  to a Jeep
- Yellow Brembo Brake Calipers
- Quad Exhaust Tips
- Unique Fascia for Optimized Airflow and Control
- Standard Black Hood
  - (Excl. black exterior)



## Jeep GRAND CHEROKEE SPECIFICATIONS\*

Comfort & Convenience	Code	Limited	Trailhawk	Overland	SRT	Trackhawk
Dual-Zone Climate Control	HAF	•	•	•	•	•
Push Button Start	GX4	•	•	•	•	•
Remote Proximity Keyless Entry	GXD	•	•	•	•	•
Remote Central Locking	GXM	•	•	•	•	•
Power Windows	JP3	•	•	•	•	•
Power Folding Side Mirrors	LER	•	•	•	•	•
Power Bootlid Release	JRC	•	•	•	•	•
Remote Start	XC5	•	•	•	•	•
Heated Front Seats	JPM	•	•	•	•	•
Heated Second Row Seats	JPZ	-	•	•	•	•
Heated Steering Wheel	NHS	•	•	•	•	•
Ventilated Front Seats	CAJ	-	•	•	•	•
Auto Dimming Rear View Mirror - Interior	GNK	•	•	•	•	•
Auto Dimming Rear View Mirror - Exterior	LEU	•	•	•	•	•
Automatic Headlamps	LMG	•	•	•	•	•
Automatic High Beam Control	LMS	•	•	•	•	•
Rain Sensitive Windshield Wipers	JHC	•	•	•	•	•
Tilt & Telescopic Steering Wheel Adjust - Power	SUB	•	•	•	•	•
Radio/Driver Seat/Mirror Memory	LEW	•	•	•	•	•
Rear Window Defroster	GFA	•	•	•	•	•
Side Exterior Mirrors with Defrost	NHJ	•	•	•	•	•
Cargo Area Tie Down Loops	СКТ	•	•	•	•	•
Cargo Tonneau	csc	•	•	•	•	•

-

Capability & Performance	Code	Limited	Trailhawk	Overland	SRT	Trackhawk
Quadra-Trac II 4x4 System	DKA	•	•	•	-	-
Quadra-Drive II 4x4 System	AWB	-	•	•	-	-
Quadra-Trac Active On Demand 4x4 System	DHB	-	-	-	•	•
Quadra-Lift Air Suspension	SER	-	•	•	-	-
Selec-Terrain® Traction Management System	ХАВ	•	•	•	-	-
Selec-Track® System	XAF	-	-	-	•	•
Two Speed Transfer Case	-	•	•	•	-	-
Rear Electronic Limited Slip Differential	DSF	-	•	•	•	•
Hill Hold Control	BNG	•	•	•	•	•
Hill Descent Control	BNH	•	•	•	•	•
Selec-Speed Control	BNK	-	•	-	-	-
4 Underbody Skid Plates	ADL	-	•	-	-	-
Tow Hooks	XEA	•	-	-	-	-
Red Tow Hooks	XH6	-	•	-	-	-
Chrome Tow Hooks	XHQ	-	-	•	-	-
Heavy Duty Engine Cooling	NMC	•	•	•	•	-

Capability & Performance (Continued)	Code	Limited	Trailhawk	Overland	SRT	Trackhawk
Launch Control	-	-	-	-	•	•
SRT Performance Instrument Cluster	LA7	-	-	-	•	•
Brembo® High Performance Brakes	-	-	-	-	-	•
Active Damping Suspension	SMC	-	-	-	•	•
High Performance Suspension	SDX	-	-	-	•	-
Competition Suspension	SDK	-	-	-	-	•
Jeep Off Road Pages	JAZ	•	•	•	-	-
Jeep Performance Pages	JAV	-	-	-	•	•
Safety, Security & Driver Assistance	Code	Limited	Trailhawk	Overland	SRT	Trackhawł
Parkview™ Reverse Parking Camera	XAC	•	•	•	•	•
7 Airbags (2 Front, 2 Side Curtain, 2 Side Seat, 1 Driver Knee)	-	•	•	•	•	•
Forward Collision Warning Plus	LSU	•	•	•	•	•
Lane Departure Warning Plus	LAS	•	•	•	•	•
Blind Spot Monitoring w/ Rear Cross Path Detection	XAN	•	•	•	•	•
Parallel & Perpendicular Park Assist	XH5	•	•	•	•	•
Advanced Brake Assist	BGG	•	•	•	•	•
Cruise Control - Adaptive	NH3	•	•	•	•	•
Tyre Pressure Monitoring	XGM	•	•	•	•	•
Active Head Restraints	CBD	•	•	•	•	•
Four Wheel Traction Control	BNR	•	•	•	•	•
Ready Alert Braking	BHD	•	•	•	•	•
Rain Brake Support	BHC	•	•	•	•	•
Electronic Stability Control (ESC)	BNB	•	•	•	•	•
Trailer Sway Control	BNT	•	•	•	•	•
Enhanced Accident Response System	LSE	•	•	•	•	•
Front Passenger Seat Belt Alert	LAX	•	•	•	•	•
ISOFIX Anchorages	CGU	•	•	•	•	•
Child Seat Upper Tether Anchorages	CF4	•	•	•	•	•
Premium Security Alarm	LSD	•	•	•	•	•
Engine Immobiliser	GXX	•	•	•	•	•
Selectable Steering Modes	XX7	•	•	•	•	•
Capless Power Locking Fuel Filler Door	XJM	•	•	•	•	•

Standard (•) Option (o) Not Offered (-)

## Jeep GRAND CHEROKEE SPECIFICATIONS\*

Audio & Connectivity	Code	Limited	Trailhawk	Overland	SRT	Trackhawk
Uconnect® 8.4 (with AM/FM Digital Radio,	UJV					
Bluetooth® Phone/Audio and Navigation)						
8.4-inch Touchscreen Display	RFL					
GPS Navigation	JLN	•	•	•	•	•
Apple Carplay	RFP					
Android Auto	RF5					
Digital Radio (DAB+)	RS9					ļ
9 Speaker Alpine Audio System Including	RC3					
Subwoofer		•	•	•	-	-
506 Watt Amplifier	RFD					
19 Speaker Harman Kardon Audio System	RCA	_	_	_		
825 Watt Amplifier	RDH				•	
Active Noise Cancelling	JLW	•	•	•	•	•
Media Hub (2 x USB / 1 x AUX)	RS6	•	•	•	•	•
Steering Wheel Mounted Audio Controls	RDZ	•	•	•	•	•
12V Power Outlet - Front	JKP	•	•	•	•	•
12V Power Outlet - Rear	JJM	•	•	•	•	•
Interior	Code	Limited	Trailhawk	Overland	SRT	Trackhawk
Steering Wheel - Leather Wrapped	SCV	•	•	-	-	-
Steering Wheel - Wood & Leather Wrapped	SCW	-	-	•	-	-
Steering Wheel - Leather Wrapped Flat						
Bottomed	SCC	-	-	-	•	•
Steering Wheel - Heated	NHS	•	•	•	•	•
Steering Wheel Mounted Paddle Shift	XBQ	•	•	•	•	•
Leather Wrapped Shift Knob	-	•	•	•	•	•
Leather Wrapped Instrument Panel & Center	XDA			_	_	
Armrest	XDA	-	-	•	•	•
Nappa Leather Door Trim	СТМ	-	-	-	•	•
Power 8-Way Driver/Passenger Seats	JT2	•	•	•	•	•
Power 4-Way Driver/Passenger Lumbar	• • •		1		•	•
r owei 4-way Driven assenger Lumbai	JRN	•	•	•	•	-
Rear Seat - 60/40 Split Folding	JRN CFN	•	•	•	•	•
	-	-	-	-	-	
Rear Seat - 60/40 Split Folding	CFN	•	•	•	•	•
Rear Seat - 60/40 Split Folding	CFN	•	•	•	•	•
Rear Seat - 60/40 Split Folding Illuminated Entry Front & Rear Interior LED Lamps	CFN LAC LBR	•	•	•	•	•

Interior (Continued)	Code	Limited	Trailhawk	Overland	SRT	Trackhawk
Dual Remote USB Port (Rear of centre console, charge only)	RS4	•	•	•	•	•
Illuminated Cupholders	CWP	•	•	•	•	•
Exterior	Code	Limited	Trailhawk	Overland	SRT	Trackhawk
HID Headlights (Bi-Xenon)	LM2	•	•	•	-	-
HID Headlights (Adaptive, Bi-Xenon)	LMQ	-	-	-	•	•
Front LED Fog Lamps	LNV	•	•	•	-	-
Premium LED Fog Lamps	LTE	-	-	-	•	-
LED Daytime Running Headlamps	LMZ	•	•	•	•	•
LED Tail Lamps	LAY	•	•	•	•	•
Headlamp Washer	JHS	•	•	•	•	•
Roof Rails	-	•	•	•	-	-
Integrated Liftgate Rear Spoiler	MXR	•	•	•	•	•
Dual-Pane Panoramic Sunroof	GWJ	0	0	•	•	•
Deep Tint Sunscreen Glass #	GEG	•	•	•	•	•
Acoustic Windshield	GAK	•	•	•	•	•
Acoustic Front Door Glass	GAP	•	•	•	•	•
Acoustic Rear Windscreen Glass	GAH	-	-	-	•	•
Rear Window Wiper/Washer	JHB	•	•	•	•	•
Side Window Surrounds - Bright	MMP	•	-	•	-	-
Side Window Surrounds - Dark	MMR	-	•	-	•	•
Door Handles - Body Colour	MNK	-	•	-	•	•
Door Handles - Bright	MNC	•	-	•	-	-
Exterior Mirrors - Body Colour	LEP	•	-	•	•	•
Exterior Mirrors w/ Supplemental Signals	LEB	•	•	•	•	•
Exterior Mirror Courtesy Lamps	LEC	•	-	•	•	•
Body Colour Grille w/ Bright Insert	MFE	-	-	•	-	-
Body Colour Grille - Neutral Gray Surround	MF6	-	•	-	-	-
Black Grille - SRT	MFK	-	-	-	•	•
Body Colour Cladding	MRV	-	-	•	-	-
Body Colour Shark Fin Antenna	RHC	•	•	•	•	•
Trail Rated Badging	M1E	-	•	-	-	-
Black Hood Decal	MGV	-	•	-	-	-
Black Painted Hood	MYW	-	-	-	-	•
Alloy Wheels 18-Inch	-	-	•	-	-	-
Alloy Wheels 20-Inch	-	•	-	•	•	•
Pirelli P-Zero 3 Season Tyre	TWC	-	-	-	-	•

(#) Deep Tint Sunscreen Glass applies to rear passenger and rear cargo windows only. Front passenger windows and windscreen are not tinted. Standard (•) Option (o) Not Offered (-)



**GROUPS & OPTIONS\*** 

	Code	Comments	Limited	Trailhawk	Overland	SRT	Trackhawk
Dual Pane Panoramic Sunroof	GWJ	-	0	0	S	S	S

Option (O) Standard (S) Not Available (-) Must Have (m/h) Not Available With (NAW)

EXTERIOR COLOUR GUIDE\*



WHEELS\*



WRA - 20-Inch Alloy Wheels (Standard - Limited & Overland)



WCV - 18-Inch Alloy Wheels (Standard - Trailhawk)



WP4 - 20-Inch Light-Weight Forged Alloy Wheels (Option - SRT)



WSL - 20-Inch Titanium Aluminum Wheels (Standard - Trackhawk)

INTERIOR TRIM GUIDE\*

#### LIMITED



CJX9 - Black Capri Leather (Standard - Limited)

#### TRAILHAWK




THXC - Black Nappa Leather with Suede & Red Accent Stitch (Standard - Trailhawk)

### OVERLAND



GLX9 - Black Nappa Leather (Standard - Overland)

#### SRT



DZX9 - Black Nappa Leather with Suede (Standard - SRT)

#### TRACKHAWK



SLX9 - Black Nappa Leather & Suede (Standard - Trackhawk)

COLOUR & TRIM MATRIX\*

		Limited	Trailhawk	Overland	SRT	Trackhawk
	Option Code	CJX9	THXC	GLX9	DZX9	SLX9
	Material	Capri Leather	Nappa Leather with Suede	Nappa Leather	Nappa Leather with Suede	Nappa Leather
Seats	Colour	Black	Black/Ruby Red	Black	Black	Black
Dashboard Insert	Appilque violu		Carbon Fibre	Carbon Fibre		
insert	Colour	Black	Black	Black	Gloss Black	Black with Silver Thread
	Steering Wheel	Leather Wrapped	Leather Wrapped	Wood & Leather Wrapped	Leather Wrapped Flat- Bottomed	Leather Wrapped Flat-Bottomed
	Headliner	Black	Black	Black	Black	Black
	Seat Belts	Black	Black	Black	Black	Red
Exterior Cold	our					
B	right White (PW7)	•	•	•	•	•
Grai	nite Crystal (PAU)	•	•	•	•	•
I	Billet Silver (PSC)	•	•	•	•	•
Wal	nut Brown (PUW)	•	-	•	-	-
	Redline (PRM)		•	-	•	•
	Slate Blue (PBF)	•	•	•	•	•
	Velvet Red (PRV)	•	•	•	•	•
Diamond Bl	ack Crystal (PXJ)	•	•	•	•	•
	Ivory (PWD)	-	-	•	•	•
:	Sting-Gray (PDN)	-	•	-	•	•
	Sangria (PWD)	•	-	•	-	<u> </u>
Gre	een Metallic (PFQ	-	•	-	•	•

Available (•) Not Offered (-)







MOLDED SPLASH GUARDS. Designed to help MOLDED RUNNING BOARDS. These premium protect your Grand Cherokee's body panels by deflect- running boards are constructed of heavy-gauge steel, ing gravel, salt and other road debris. Guards feature the aiding in safe, easy entry and exit from your vehicle. Jeep® Brand logo.



Boards feature a Black outer cover with chrome accents.



touch of stainles ssteel style to your vehicle while protect- add bold brightwork to your footwell. Rubber inserts on ing its interior door sills from scratches. The Jeep® Brand pedals provide positive traction. No drilling required. logo illuminates when the door is opened. Designed to enhance Limited. Overland® and Summit® models.



ILLUMINATED DOOR SILL GUARDS. Add a BRIGHT PEDAL KIT. Stainless steel pedal covers



CARGO BARRIER. Minimize distractions when you REVERSIBLE CARGO MAT. This non-slip, customtravel and keep your four-footed family member safely restricted to the rear cargo area of your Grand Cherokee. from sliding and a soft fabric side to protect your vehicle's This adjustable, low-glare, black steel barrier is custom- interior carpet. The mat is easy to remove for cleaning. and ready to install.



cargo mat features a rubberized side to prevent cargo



opening and, when properly equipped with weight-dis- your vehicle's existing exhaust system with this easily intributing equipment, allows it to tow up to 2812kg (4x4 stalled accessory. The chrome tip adds a polished finish 3.6L engine), 3500kg (4x4 3.0L engine) & 2949kg (6.4L and touch of class. engine). Please refer to Owner's Manual for safe use.



HITCH RECEIVER. Receiver features a two-inch CHROME EXHAUST. Enhance the appearance of



CHROME FRONT AIR DEFLECTOR, Deflect road HITCH-MOUNT BIKE CARRIER. Hitch-mount debris, dirt and insects away from your vehicle's hood and windshield with this easily installed accessory. The two-inch receivers). Each style folds down to allow your wraparound style creates an air stream to help direct debris up and away from the hood.



carrier comes in two-bike and four-bike styles (both fit vehicle's liftgate to open without having to remove bikes. Carrier features carrying clamps and security cable.



**REMOVABLE ROOF RACK KIT.** For vehicles not equipped with a roof rack system, this complete Remov- rubber pads and felt-lined saddles keep your kayak seable Roof Rack Kit allows you to transport your gear cure. Carrier includes transportation straps and mounts safely and easily, and is compatible with all Mopar® Sport to the Sport Utility Bars or Removable Roof Rack Kit. and Cargo Carriers.



ROOF MOUNT KAYAK CARRIER. Integrated

**TECHNICAL INFORMATION\*** 

	Limited 3.6L V6 4x4 Petrol	Trailhawk/ Limited/ Overland 3.0L V6 Diesel	Overland 5.7L V8 Petrol	SRT 6.4L V8 Petrol	Trackhawk 6.2L V8 Petrol		Limited 3.6L V6 4x4 Petrol
Body & Chassis						Weights	
Lavout			Front Engine 4	~		Max. Braked Towing Capacity (kg)	2,812
Layout			FION ENGINE 4			Max. Unbraked Towing Capacity (kg)	750
Construction			Steel Unibody			Max. Tongue Download (kg)	281
Assembly Plant		Jefferson North As	ssembly Plant - De	troit, Michigan USA	·	Gross Vehicle Mass (kg)	2,949
Doors Seats			5			Gross Combined Mass (kg) Incl. Braked Towing	5,480
Powertrain						Roof Rack Load Limit (kg)	
	3.6 Pentastar		5.7 HEMI	6.4 HEMI® V8		Transmission	
Description	V6 Engine	3.0 EcoDiesel	V8 Engine	Engine with	6.2L HEMI <sup>®</sup> V8	Туре	8-Speed A
Beschpiton	with Stop/ Start (ESS)	V6 Engine		Fuel Saver Technology	Engine	Ratio - 1st	
Capacity	3,604	2,987	5,654	6,417	6,168	Ratio - 2nd	
Capacity Cylinders	3,004		5,054	8	0,100	Ratio - 3rd	
Cymilders		)		0			
	N - A U		N - to me like	Noturally		Ratio - 4th	
Aspiration (Natural / Forced)	Naturally Aspirated	Turbocharged	Naturally Aspirated	Naturally Aspirated	Supercharged	Ratio - 5th	
Max. Power (kW @ rpm)	213 @ 6,400	184 @ 4,000	259 @ 5,200	344 @ 6,250	522 @ 6,000	Ratio - 6th	
Max. Torque (Nm @ rpm)	347 @ 4,000	570 @ 2,000	520 @ 4,200	624 @ 4,100	868 @ 4,800	Ratio - 7th	
Valves	2	4		16	1	Ratio - 8th	
Compression	10.2:1	16.5:1	10.5:1	10.9:1	9.5:1	Reverse	
Bore & Stroke (mm)	96.0 x 83.0	83.0 x 92.0	99.5 x 90.9	103.9 x 94.5	103.9 x 90.0	Brakes	1
Engine Stop/Start	Star	Idard		-	1		
Fuel						Front - Type	Ventilated Dis
	Sequential,		Sequential,	Sequntial, Multi Port, Electronic	Seguntial, Multi		
System	Multi Port, Electronic Fuel Injection	Common Rail Diesel	Multi Port, Electronic Fuel Injection	Fuel Injection, Fuel Saver Mode	Port, Electronic Fuel Injection	Front - Size (mm)	
Туре	Petrol	Diesel	Petrol		Petrol (98)	Rear - Type	Ventilated Disc
Tank Capacity (L)			93		()		
Economy (Urban, L/100km)	13.5	9.3	19.6	22.3	25.5	Rear - Size (mm)	
Economy (Highway, L/100km)	8.0	6.5	9.2	11.1	12.3	Warranty & Service	
Economy (Combined, L/100km)	10.0	7.5	13	15.3	17.1	Warranty	
Emissions		.1	1		1	Roadside Assistance	
Emission Standard Met	6	5	6B		6		12,000km /
Emissions (Combined, CO <sub>2</sub> g/km)	233	198	304	338	395	Service Intervals	12 Months
Performance	1	.1		1			
Acceleration (seconds 0-100km/h)	8.3	8.2	7.3	4.9	3.7		
Maximum Speed (km/h)	190	202	225	258	289		
	1			1	1		

	Limited 3.6L V6 4x4	Trailhawk/ Limited/ Overland	Overland 5.7L V8	SRT 6.4L V8	Trackhawk 6.2L V8			
	Petrol	3.0L V6 Diesel	Petrol	Petrol	Petrol			
Weights								
Max. Braked Towing Capacity (kg)	2,812	3,500	3,500	2,9	949			
Max. Unbraked Towing Capacity (kg)	750	750	750	7	50			
Max. Tongue Download (kg)	281	350	350	2	94			
Gross Vehicle Mass (kg)	2,949	2,949	2,949	2,949	2,993			
Gross Combined Mass (kg) Incl. Braked Towing	5,480	6,099	6,099	5,603	5,647			
Roof Rack Load Limit (kg)		68			-			
Transmission								
Туре	8-Speed Au	Itomatic Transmiss	ion with Steering V	Vheel Mounted Pac	Idle Shifters			
Ratio - 1st			4.71					
Ratio - 2nd		3.14						
Ratio - 3rd		2.11						
Ratio - 4th		1.67						
Ratio - 5th			1.29					
Ratio - 6th			1.00					
Ratio - 7th			0.84					
Ratio - 8th			0.67					
Reverse			3.30					
Brakes								
Front - Type	Ventilated Disk, Two-Piston Floating Caliper with ABS			Ventilated Disk, Fixed Six- Piston Caliper with ABS	Adds Over 6.4L Performance Rotor Directionally Slotted			
Front - Size (mm)		350 x 32		380 x 34	400 x 36			
Rear - Type	Ventilated Disc,	Floating Single Pis ABS	Ventilated Disk, Fixed Four- Piston Caliper with ABS	Adds Over 6.4L Performance Rotor Directionally Slotted				
Rear - Size (mm)		330 x 22		350	x 28			

3 Year / 100,000km As above

12,000km /

12 Months

20,000km /

12 Months

12,000km /

12 Months

**TECHNICAL INFORMATION\*** 

-

Weights & Capacities	Limited 3.6L V6 4x4	Trailhawk/ Limited/ Overland	Overland 5.7L V8	SRT 6.4L V8	Trackhawk 6.2L V8	
	Petrol	3.0L V6 Diesel	Petrol	Petrol	Petrol	
Dimensions						
Length (mm)		4,828		4,	846	
Width (mm)		1,943		1,	954	
Height (mm)		1,792		1,	749	
Wheelbase (mm)		2,915				
Front Track (mm)		1,628		1,	640	
Rear Track (mm)		1,634		1,	646	
Tare Vehicle Weight (kg)	2,205 (3.6L) / 2,346 (3.0D)	2,346	2,299	2,289	2,399	
Wheel & Tyre						
Wheel Type		Alloy Wheels		Forged A	lloy Wheels	
Wheel Size (Inches)	20	x 8.0 (18 x 8.0 only on Trailha	awk)	20 :	< 10.0	
Tyre Size	26	5 / 50 (265 / 60 only on Trailha	awk)	295	5 / 45	
Spare Wheel		245 / 65 / R18 Steel		195 / 70 / R20 Steel Space Saver		
Steering						
Туре	Electric	c, Rack-and-Pinion Power Stee	ring (EPS)	SRT tu	ned EPS	
Turning Circle - Kerb to Kerb (m)		11.9		1	1.6	
Column Adjustment		Tilt & Telescopic		,		
Suspension	· · ·					
Туре	Coil		Air	Adaptive E	amping Coil	
Front	Independent Double	Wishbone, Coil-Over Shock Ak	osorbers, Stabiliser Bar		amping Suspension, Hollow ver Control Arm, Knuckle, Clevis	
Rear	Multilink, Coil Sprung, Gas D	amper, Aluminium Lower Conti Camber, Tow Links	ol Arm, Independent Tension,	Adds Bilstein Adaptive Damping Suspension, Hollow Stabiliser Bar		
4x4 Specifics				1		
4x4 System	Jeep Quadra-Trac II	Jeep Qua	adra-Drive II	Quadra-Trac A	ctive On Demand	
Operating Mode		Ful	l Time			
Transfer Case	2-Sp	eed		1-S	peed	
Electronic Limited Slip Differential (E-LSD)	-		R	ear		
Running Clearance (mm)	206	:	207	2	218	
Running Clearance (mm) - Air Suspension Pos#2	-	:	207		-	
Approach Angle (Degrees)	25		25		18	
Breakover Angle (Degrees)	18		18		18	
Departure Angle (Degrees)	23		23	:	22	
Wading Depth (mm)	'	508			-	

# Jeep

jeep.co.nz

Overseas models may be shown in imagery, New Zealand model and actual colours may vary. All product illustrations and specifications are based upon current information. Jeep New Zealand reserves the right to make changes from time to time, without notice or obligation, in prices, specifications, technical information, accessories, colours, materials and to change or discontinue models. All vehicles, models, features, colours and/or accessories shown may not be available in New Zealand from time to time or at all. "Optional" may mean available as an option but only at an additional cost. For the details of the vehicles, models, features, colours and/or accessories currently available in New Zealand, please contact an authorised Jeep Dealer.