

Grand Cherokee Buyers Guide

March 2025



Jeep

Grand Cherokee

LIMITED

Engine

3.6L V6 Petrol: 210 kW 344 Nm

Transmission

8-Speed Automatic 4x4

Maximum Towing Capacity⁽⁶⁾

2,813kg

Fuel Consumption⁽¹⁾

Combined (L/100km)

5 seat: 9.9

7 seat: 10.6

Features

- 20-inch Alloy Wheels
- Uconnect 5 Navigation with 10.1-inch Touchscreen Display with Apple CarPlay⁽⁷⁾⁽⁹⁾ and Android Auto⁽⁸⁾⁽⁹⁾
- Heated 8-way power adjustable seats and 4-way power lumbar adjustment for both driver and front passenger
- Heated steering wheel
- Power liftgate with adjustable height settings
- Automatic LED headlamps
- 10.25-Inch Multiview Display cluster
- Tyre Pressure Monitoring
- Passive Front Entry/Liftgate with Keyless Go
- Hill Start Assist
- Blind Spot Monitoring with Rear Cross-Path Detection
- Adaptive Cruise Control with Stop and Go
- Active Lane Management
- Pedestrian Automatic Emergency Braking (with cyclist detection)
- Drowsy Driver Detection
- Traffic Sign Recognition
- Intersection Collision Assist
- Jeep Quadra-Trac I Active 4x4 System with Selec-Terrain
- TechnoLeather Seats
- Driver Seat Memory
- Heated first and second-row outboard seating
- Ventilated front seating
- 9 Speaker Alpine Premium Audio System with Active Noise Control
- Integrated Off-Road Camera
- Passive Entry Rear
- 360-Degree Surround View Camera
- Ambient LED Lighting
- Auto High Beam Headlamp Control

OVERLAND

Engine

3.6L V6 Petrol: 210 kW 344 Nm

Transmission

8-Speed Automatic 4x4

Maximum Towing Capacity⁽⁶⁾

2,813kg

Fuel Consumption⁽¹⁾

Combined (L/100km)

5 seat: 9.9

7 seat: 10.6

Features (in addition to or replacing Limited)

- Jeep Quadra Trac II Active 4x4 system with Selec-Terrain and Quadra Lift Air Suspension & Adaptive Damping
- 12-way power with 4-way power lumbar adjustment for driver and front passenger seat with memory
- Nappa leather-trimmed seats
- Ventilated Second Row Outboard Seats
- Driver and front passenger seat massage function
- Window Shades, 2nd Row
- Digital Rearview Mirror
- Four-Zone Climate Control
- Wireless Charging Pad
- Enhanced multi-colour interior ambient lighting
- Hands-free Power Liftgate
- Proximity wake-up
- Dual-Pane Panoramic Sunroof
- Hill Descent Control
- Dual bright exhaust tips
- Bright sill plates



7 seat Limited



7 seat Overland

Grand Cherokee

SUMMIT RESERVE / SUMMIT RESERVE 4XE

Engine

Summit Reserve 4xe (5 Seat) 2.0L 4xe PHEV: 280kW 637Nm (combined output) Summit Reserve (7 Seat) 3.6L V6 Petrol: 210kW 344Nm

Transmission

8-Speed Automatic 4x4

Maximum Towing Capacity⁽⁶⁾

Summit Reserve 4xe (5 seat): 2,722kg
Summit Reserve (7 seat): 2,813kg

Fuel Consumption⁽¹⁾

Combined (L/100km)
Summit Reserve 4xe (5 seat): 3.2
Summit Reserve (7 seat): 10.6

Features (in addition to or replacing Overland)

- Quilted Palermo leather-trimmed seats
- 12-way power adjustable seats and 4-way power lumbar adjustment with memory for both driver and front passenger
- Driver and front passenger seat massage function
- Berber floor mats
- Deluxe headliner
- Black painted roof
- 21-inch Alloy Wheels
- Premium McIntosh High Performance Audio System with 19 speakers and 950-watt amplifier
- Unique wood appliqué in instrument panel, steering wheel and doors
- Illuminated sill plates
- ParkSense Parallel & Perpendicular Park Assist
- Active Driving Assist System
- Optional Night Vision display, wireless charging pad and heads up display



5 seat Summit Reserve 4xe



7 seat Summit Reserve

MODEL HIGHLIGHTS

Grand Cherokee

SPECIFICATIONS

Capability & Performance	Code	Grand Cherokee (5 seat)		
		Limited	Overland	Summit Reserve 4xe
3.6L Pentastar V6 Petrol Engine with ESS	ERC	•	•	-
2.0 4xe Plug-In Hybrid Engine with ESS	ECX	-	-	•
Heavy Duty Engine Cooling	NMC	•	•	•
Sport Mode	XG8	•	•	•
8-Speed Automatic Transmission	DFT	•	•	•
Quadra-Trac I® 4x4 System	DHY	•	-	-
Quadra-Trac II® 4x4 System	DKA	-	•	•
Selec-Terrain® Traction Management System	XAB	•	•	•
Hill Descent Control	BNH	-	•	•
Quadra-Lift® Air Suspension	SER	-	•	•
Semi Active Damping	SMC	-	•	•
Rear Load Leveling Suspension	SES	•	•	•
Conventional Differential Rear Axle	DS8	•	•	•
Conventional Differential Front Axle with Disconnect	DSM	•	•	•
Four Wheel Traction Control	BNR	•	•	•
Trailer Hitch Zoom	XNQ	•	•	•
160 Amp Alternator	BAB	-	-	-
220 Amp Alternator	BAJ	•	-	-
240 Amp Alternator	BAL	-	•	-
650 Amp AGM Battery	BCZ	•	-	-
700 Amp Maintenance Free Battery	BCV	-	•	•
Stop-Start Dual Battery System	XHZ	•	•	-
Auxiliary Battery	BC1	•	•	-
Battery Charge Indicator	XAT	-	-	•
Mode 2 PHEV Charge Cable	F1L	-	-	•
Map-In-Cluster Display	JBA	-	-	•
Selectable Tyre Fill Alert	LA5	•	•	•
Tyre Pressure Monitoring Display	XGM	•	•	•

Grand Cherokee (7 seat)		
Limited	Overland	Summit Reserve
•	•	•
-	-	-
•	•	•
•	•	•
•	•	•
•	-	-
-	•	•
•	•	•
-	•	•
-	•	•
•	•	•
•	•	•
•	•	•
•	•	•
•	•	•
-	-	-
•	-	-
-	•	•
•	-	-
-	•	•
•	•	•
-	-	-
-	-	•
•	•	•
•	•	•

Standard (•) Option (o) Not Offered(-)

Grand Cherokee

SPECIFICATIONS

Exterior	Code	Grand Cherokee (5 seat)		
		Limited	Overland	Summit Reserve 4xe
Dual Exhaust Tips	NEK	-	-	-
Dual Bright Exhaust Tips	NEL	-	•	•
Wheel Flares - Black	MMJ	•	-	-
Wheel Flares - Painted	MM3	-	•	•
Lower Front Fascia - Black	MLX	•	-	-
Lower Front Fascia - Painted	ML6	-	•	•
Lower Rear Fascia - Black	MLK	•	-	-
Lower Rear Fascia - Painted	MLN	-	•	•
Body Colour Door Handles	MNK	•	•	•
Exterior Accents - Gloss Black	MHP	O	-	-
Exterior Accents - Chrome	MHU	•	•	-
Exterior Accents - Platinum Chrome	MCG	-	-	•
Door Cladding - Black	MJW	•	-	-
Door Cladding - Painted	MJX	-	•	-
Door Cladding - Painted / Bright	MJY	-	-	•
Lower Rocker Panel Cladding - Black	MJ5	•	-	-
Lower Rocker Panel Cladding - Painted	MJ6	-	•	•
Shark Fin Antenna	RHC	•	•	•
Roof Rails - Black / Gloss Black	MWE	O	-	-
Roof Rails - Black / Bright	MWG	•	-	-
Roof Rails - Gloss Black / Bright	MWR	-	•	-
Roof Rails - Fine Silver / Gloss Black	MW1	-	-	•
Upper Active Grille Shutters	MDX	•	•	•
4xe Badge	MGU	-	-	•
Roof - Black Painted	MXS	-	-	•
Roof - Body Colour	MXU	•	•	-
Power Sunroof	GWA	-	-	-
Dual-Pane Panoramic Sunroof	GWJ	O	•	•

Grand Cherokee (7 seat)		
Limited	Overland	Summit Reserve
•	-	-
-	•	•
•	-	-
-	•	•
•	-	-
-	•	•
•	-	-
-	•	•
•	•	•
-	-	-
•	•	-
-	-	•
•	-	-
-	•	•
•	•	•
-	-	-
•	-	-
-	•	-
•	•	•
-	-	-
•	•	-
-	-	-
O	•	•

Standard (•) Option (o) Not Offered(-)

Grand Cherokee

SPECIFICATIONS

Comfort & Convenience	Code	Grand Cherokee (5 seat)		
		Limited	Overland	Summit Reserve 4xe
Auto Power-Folding Mirrors	LFF	•	•	•
Auto Dimming Exterior Mirror - Driver	GNZ	•	•	•
Auto Dimming Exterior Mirror - Passenger	LEU	•	•	•
Exterior Mirrors with Memory	LEM	•	•	•
Auto Adjust In Reverse Exterior Mirrors	LEX	•	•	•
Exterior Mirrors Approach Lamps	LE9	•	•	•
Rain Sensitive Windshield Wipers	JHC	•	•	•
Windshield Wiper De-Icer	NHL	-	•	•
Acoustic Windshield	GAK	•	•	•
Acoustic Laminated Front Door Glass	GAP	•	•	•
Acoustic Laminated Rear Door Glass	GAH	•	•	•
Laminated Rear Glass	GAZ	-	-	•
Deep Tint Privacy Glass	GEG	•	•	•
Audio & Connectivity	Code	Limited	Overland	Summit Reserve 4xe
Cluster 10.25-Inch TFT Colour Display	JAU	•	•	•
Steering Wheel Mounted Audio Controls	RDZ	•	•	•
Integrated Voice Command with Bluetooth	XRБ	•	•	•
Uconnect 5 Navigation with 10.1-inch Touchscreen Display	UUN	•	•	•
GPS Navigation	JLN	•	•	•
GPS Antenna Input	JLP	•	•	•
Apple Carplay® (Wireless)	RFP	•	•	•
Android Auto™ (Wireless)	RF5	•	•	•
Digital Audio Broadcasting	RS9	•	•	•
6 Speaker Audio System	RCG	-	-	-
9 Speaker Alpine Premium Audio System	RC3	•	•	-
506 Watt Amplifier	RFD	•	•	-
19 Speaker McIntosh High Performance Audio System	RCA	-	-	•
950 Watt Amplifier	RDH	-	-	•
Active Noise Control System	JLW	•	•	•
Wireless Charging Pad	RFX	•	•	O
USB Host Flip	RF7	•	•	•
Media Hub - 4 USB, 2 Fully Funct, Aux	RSF	•	•	•
2nd Row 4 Charge-Only USB Ports	RS2	•	•	•
3rd Row 4 Charge-Only USB Ports	RS3	-	-	-

Grand Cherokee (7 seat)		
Limited	Overland	Summit Reserve
•	•	•
•	•	•
•	•	•
•	•	•
•	•	•
•	•	•
•	•	•
•	•	•
-	•	•
•	•	•
•	•	•
•	•	•
-	-	•
•	•	•
Limited	Overland	Summit Reserve
•	•	•
•	•	•
•	•	•
•	•	•
•	•	•
•	•	•
•	•	•
•	•	•
-	-	-
•	•	•
•	•	-
-	-	•
-	-	•
•	•	•
•	•	O
•	•	•
•	•	•
•	•	•
•	•	•

Standard (•) Option (o) Not Offered(-)

(#) Deep Tint Glass applies to rear passenger and rear cargo windows only. Front passenger windows and windscreen are not tinted.



Grand Cherokee

SPECIFICATIONS

Lighting	Code	Grand Cherokee (5 seat)		
		Limited	Overland	Summit Reserve 4xe
LED Reflector Headlamps	LPX	•	•	•
Automatic Headlamps	LMG	•	•	•
Auto High Beam Headlamp Control	LMS	•	•	•
Automatic Headlamp Leveling System	JKJ	•	•	•
LED Daytime Running Lamps- Park/Turn	LPJ	•	•	•
Front LED Fog Lamps	LNV	•	•	•
Front Corner LED Lamps	LNB	-	•	•
LED Taillamps	LAY	•	•	•
Rear LED Fog Lamps	LPM	•	•	•
Exterior Door Handle Approach Lamps	LC2	-	•	•
Door Courtesy Lamps	LCB	-	•	•
Proximity Approach Lamps	LNK	-	•	•
Ambient LED Interior Lighting	LCJ	•	-	-
Multi-Colour Ambient LED Interior Lighting	LBZ	-	•	•
LED Front Footwell Lighting	LBB	•	•	•
Footwell Courtesy Lamp - Rear	LBW	-	•	•
Glove Box Lamp	LBC	•	•	•
Front Reading/Map Lamps	LBG	•	•	•
Rear Reading/Courtesy Lamps	LBH	•	•	•
3rd Row Passenger LED Reading Lamps	LCQ	-	-	-
Front and Rear LED Map Pockets	LBU	•	•	•
Liftgate Door Puddle Lamps	LBP	•	•	•
Overhead Cargo Area Lighting - LED	LCP	•	•	•

Grand Cherokee (7 seat)		
Limited	Overland	Summit Reserve
•	•	•
•	•	•
•	•	•
•	•	•
•	•	•
•	•	•
•	•	•
-	•	•
•	•	•
•	•	•
-	•	•
-	•	•
•	-	-
-	•	•
•	•	•
-	•	•
•	•	•
•	•	•
•	•	•
•	•	•
•	•	•
•	•	•
•	•	•
•	•	•

Standard (•) Option (o) Not Offered(-)

Grand Cherokee

Safety, Security & Driver Assistance	Code	Grand Cherokee (5 seat)			Grand Cherokee (7 seat)		
		Limited	Overland	Summit Reserve 4xe	Limited	Overland	Summit Reserve
Hold 'N Go	BHG	•	•	•	•	•	•
Electronic Stability Control	BNB	•	•	•	•	•	•
Hill Start Assist	BNG	•	•	•	•	•	•
Trailer Sway Damping	BNT	•	•	•	•	•	•
Rain Brake Support	BHC	•	•	•	•	•	•
Ready Alert Braking	BHD	•	•	•	•	•	•
Security Alarm	LSB	•	-	-	•	-	-
Deluxe Security Alarm	LSD	-	•	•	-	•	•
Full Speed Forward Collision Warn Plus	LSU	•	•	•	•	•	•
Advanced Brake Assist	BGG	•	•	•	•	•	•
Pedestrian & Cyclist Emergency Braking	LST	•	•	•	•	•	•
Intersection Collision Assist	XPS	•	•	•	•	•	•
Drowsy Driver Detection	XNM	•	•	•	•	•	•
Intelligent Speed Control	NH2	•	•	•	•	•	•
Adaptive Cruise Control with Stop & Go	NHZ	•	•	•	•	•	•
Traffic Sign Recognition	SJB	•	•	•	•	•	•
Active Driving Assist System	SJJ	-	-	•	-	-	•
Active Lane Management System	XNW	•	•	•	•	•	•
Parkview Rear Back-Up Camera	XAC	•	•	•	•	•	•
Surround View Camera System	XAK	•	•	•	•	•	•
Rear Back Up Camera Washer	JHE	•	•	•	•	•	•
Integrated Off-Road Camera	XNY	•	•	•	•	•	•
Blind Spot and Rear Cross Path Detection	XAN	•	•	•	•	•	•
Parksense Front & Rear Park Assist with Stop	XH4	•	•	•	•	•	•
Parallel & Perpendicular Park & Unpark Assist with Stop	XPL	-	-	•	-	-	•
Side Distance Warning	XAJ	-	-	•	-	-	•
Child Seat Upper Tether Anchorages	CF4	•	•	•	•	•	•
Child Seat Anchor System-Latch Ready (ISOFIX)	CGU	•	•	•	•	•	•
Advanced Multistage Front Air Bags	CG3	•	•	•	•	•	•
Driver Inflatable Knee-Bolster Air Bag	CGY	•	•	•	•	•	•
Passenger Inflatable Knee-Bolster Air Bag	CHF	•	•	•	•	•	•
Supplemental Front Seat Side Air Bags	CJ1	•	•	•	•	•	•
Supplemental Side Curtain Front & Rear Air Bags	CJ2	•	•	•	•	•	•
Occupant Detection Sensor - 2nd Row	XCC	•	•	•	•	•	•
Occupant Detection Sensor - 3rd Row	XCE	-	-	-	•	•	•
Rear Seat Reminder Alert	JFB	•	•	•	•	•	•
Driver, Front & Rear Passenger Seat Belt Alert	LAF/LAU/LAX	•	•	•	•	•	•
Quick Disconnect Battery Terminal	XAV	•	•	•	•	•	•
Capless Fuel Filler	XJM	•	•	•	•	•	•
Locking Push-Push Fuel Filler Door	XJ6	•	•	•	•	•	•

Standard (•) Option (o) Not Offered(-)

SPECIFICATIONS



Grand Cherokee

WHEELS

Wheels	Code	Limited	Overland	Summit Reserve	Summit Reserve 4xe
20-inch Gloss Black Painted Alloy Wheels	WHF	o	-	-	-
20-inch Machined / Painted Alloy Wheels	WHG	•	-	-	-
20-inch Full Polished Alloy Wheels	WLJ	-	•	-	-
18-inch Full Polished / Painted Alloy Wheels	WLH	-	o	-	-
21-inch Polished / Painted Alloy Wheels	WJE	-	-	•	-
21-inch Machined / Painted Alloy Wheels	WJA	-	-	-	•

Standard (•) Option (o) Not Offered(-)



WHF - 20-inch Gloss Black Painted Alloy Wheels
(Optional on Limited 5-Seat)



WHG - 20-inch Machined / Painted Alloy Wheels
(Standard on Limited)



WLJ - 20-inch Full Polished Alloy Wheels
(Standard on Overland)



WLH - 18-inch Full Polished / Painted Alloy Wheels
(Optional on Overland)



WJE - 21-inch Polished / Painted Alloy Wheels
(Standard on Summit Reserve)



WJA - 21-inch Machined / Painted Alloy Wheels
(Standard on Summit Reserve 4xe)

Grand Cherokee

OPTIONS

Options	Code	Limited	Overland	Summit Reserve	Summit Reserve 4xe
Power Sunroof	GWA	o	-	-	-
Vision Group	ADG + GWJ	o	-	-	-
Dual Pane Sunroof	GWJ				
Head Up Display	LBK				
Black Appearance Group (Option on Limited 5-Seat only)	ALC	o	-	-	-
Gloss Black Exterio Accents	MHP				
Black Roof Rails	MWE				
20-Inch Gloss Black Alloy Wheels	WHF				
Off-Road Group	AM2	-	o	-	-
230mm Rear Axle	DR1				
Rear Electronic Limited Slip Differential	DSF				
Trail Rated Badge	MT2				
265/60R18 All Terrain Tyres	TKH				
Goodyear Brand Tyres	TZA				
18-Inch Polished/Painted Alloy Wheels	WLH				
Fuel Tank Skid Plate Shield	XEE				
Transfer Case Skid Plate Shield	XEF				
Front Suspension Skid Plate	XEU				
Advanced Technology Group	AAN	-	-	o	o
Heads-Up Display	LBK				
Wireless Charging Pad	RFX				
Night Vision pedestrian/Animal Detection	XNT				
Front Passenger Interactive Display	RJA				

Option (o) Not Offered(-)

Grand Cherokee



PW7 - Bright White
(Standard)



PRV- Velvet Red
(Option - Customer Order Only)



PSE - Silver Zynith
(Option)



PAS - Baltic Grey
(Option)



PXJ - Diamond Black
(Option)



PFJ - Rocky Mountain
(Option)



PCQ -Midnight Sky
(Option)

EXTERIORS

Grand Cherokee

COLOUR & TRIM MATRIX

Trim	Limited	Overland		Summit Reserve		Summit Reserve 4xe	
Option Code	D6X7	BLX7	TLX7	ECX7	ECT7	ECX7	ECT7
Seats	TechnoLeather	Nappa Leather-trimmed		Palermo Leather-trimmed			
Steering Wheel	TechnoLeather			Black	Tupelo	Black	Tupelo
				Leather			

Exterior Colour	Limited	Overland		Summit Reserve		Summit Reserve 4xe	
Bright White (PW7)	•	•	•	•	•	•	•
Velvet Red (PRV)	o	o	o	o	o	o	o
Silver Zynith (PSE)	o	o	o	o	o	o	o
Baltic Grey (PAS)	o	o	o	o	o	o	o
Diamond Black (PXJ)	o	o	o	o	o	o	o
Rocky Mountain (PFJ)	o	o	o	o	o	o	o
Midnight Sky (PCQ)	o	o	o	o	o	o	o

Standard (•) Option (o) Not Offered(-)



D6X7 - TechnoLeather trim
(Standard - Limited)



TLX7 - Black Nappa Leather-trim
(Standard - Overland)



ECX7 - Black Palermo Leather-trim
(Standard - Summit Reserve)



ECT7 - Tupelo Palermo Leather-trim
(Option - Customer Order only on Summit Reserve)

Grand Cherokee

	Grand Cherokee	Grand Cherokee L
	3.6L 4x4	
Body & Chassis		
Layout	Front Engine 4x4	
Construction	Steel Unibody	
Assembly Plant	Detroit Assembly Complex – Mack Plant, Detroit, Michigan	
Doors	4	
Seats	5	7
Powertrain		
Description	3.6 Pentastar V6 Engine	
Capacity	3604	
Cylinders	6	
Configuration	V	
Aspiration (Natural / Forced)	Naturally Aspirated	
Max power (kW @ rpm)	210 @ 6400	
Max torque (Nm @ rpm)	344 @ 4000	
Valves	24	
Compression	11.3:1	
Bore & Stroke (mm)	96 x 83	
Engine Stop/Start	Standard	
Fuel		
System	Sequential Multi Port, Electronic Fuel Injection	
Type	Unleaded Petrol	
Tank capacity (L)	87	
Economy (Urban, L/100km)(1)	13.3	13.9
Economy (Highway, L/100km)(1)	8	8.7
Economy (Combined, L/100km)(1)	9.9	10.6

	Grand Cherokee	Grand Cherokee L
	3.6L 4x4	
Emissions		
Emission Standard Met	EURO 6	
Emissions (Combined, CO ² g/km)	236	243
Transmission		
Type	8-Speed Automatic Transmission with Steering Wheel Mounted Paddle Shifters	
Ratio - 1st	4.71	
Ratio - 2nd	3.14	
Ratio - 3rd	2.11	
Ratio - 4th	1.67	
Ratio - 5th	1.29	
Ratio - 6th	1.00	
Ratio - 7th	0.84	
Ratio - 8th	0.67	
Reverse	3.30	
Brakes		
Front - Type	Ventilated Disk, Two-Piston Floating Caliper with ABS	
Front - Size (mm)	354 x 28	
Rear - Type	Ventilated Disc, Floating Single Piston Caliper with ABS	
Rear - Size (mm)	350 x 22	
Steering		
Type	Electric rack-and-pinion steering	
Turning Circle - Kerb to Kerb (m)	11.58	
Column Adjustment	Tilt & Telescopic	
Service & Warranty		
Service Intervals	12,000km / 12 months	
Warranty	3 year / 100,000km ⁽⁴⁾	
Roadside Assist	3 year / 100,000km ⁽⁴⁾	

TECHNICAL INFORMATION

Grand Cherokee

Grand Cherokee	
2.0L 4xe	
Body & Chassis	
Layout	Front Engine 4x4
Construction	Steel Unibody
Assembly Plant	Detroit Assembly Complex – Mack Plant, Detroit, Michigan
Doors	4
Seats	5
Powertrain	
Description	2.0 4xe Plug-In Hybrid Engine
Capacity	1995
Cylinders	4
Configuration	In Line
Aspiration (Natural / Forced)	Turbocharged
Max power (kW @ rpm)	200 @ 5250
Max torque (Nm @ rpm)	400 @ 3000
Combined Max power (kW @ rpm)	280 @ 5250
Combined Max torque (Nm @ rpm)	637 @ 3000
Valves	16
Compression	10:1
Bore & Stroke (mm)	84 x 90
Engine Stop/Start	-
Fuel	
System	Direct Injection
Type	Unleaded Petrol Plug-In Hybrid
Tank capacity (L)	72
Electric Range (km)	Up to 51
Battery Gross Capacity (kWh)	17.3
Maximum Charge Rate (kWh)	Up to 7.4
Charging Modes	Mode 2 charge (3kW) Mode 3 charge (7.4kW)
Economy (Combined, L/100km) ⁽¹⁾	3.2

Grand Cherokee	
2.0L 4xe	
Emissions	
Emission Standard Met	EURO 5
Emissions (Combined, CO ² g/km)	74
Transmission	
Type	8-Speed Automatic Transmission with Steering Wheel Mounted Paddle Shifters
Ratio - 1st	4.71
Ratio - 2nd	3.14
Ratio - 3rd	2.11
Ratio - 4th	1.67
Ratio - 5th	1.29
Ratio - 6th	1.00
Ratio - 7th	0.84
Ratio - 8th	0.67
Reverse	3.30
Brakes	
Front - Type	Ventilated Disk, Two-Piston Floating Caliper with ABS
Front - Size (mm)	354 x 28
Rear - Type	Ventilated Disc, Floating Single Piston Caliper with ABS
Rear - Size (mm)	350 x 22
Steering	
Type	Electric rack-and-pinion steering
Turning Circle - Kerb to Kerb (m)	12.1
Column Adjustment	Tilt & Telescopic
Service & Warranty	
Service Intervals	12,000km / 12 months
Warranty	5 year / 100,000km ⁽⁴⁾
High-Voltage Battery Warranty (4xe only)	8 years/160,000km ⁽¹¹⁾
Roadside Assist	Lifetime roadside assist when you service through Jeep ⁽⁵⁾

TECHNICAL INFORMATION

Grand Cherokee

	Grand Cherokee (5 seat)		
	Limited	Overland	Summit Reserve 4xe
Dimensions			
Length (mm)	4,914		
Width (mm)	2,149		
Height (mm)	1,799	1,801	
Wheelbase (mm)	2,964		
Front Track (mm)	1,660		
Rear Track (mm)	1,660		
Wheels & Tyres			
Wheel Type	Alloy		
Wheel Size (inches)	20 x 8.5	21 x 9.0	
Tyre Size	265 / 50	275 / 45	
Spare Wheel	265 / 60 R18 Full Size Steel		
Weights & Volumes			
Tare Weight (kg)	2,167	2,536	
Maximum Braked Towing Capacity (kg)(6)	2,813	2,722	
Maximum Unbraked Towing Capacity (kg)(6)	750		
Maximum Tongue Download (kg)(3)	281	272	
Gross Vehicle Mass (kg)	2,744	3,110	
Gross Combined Mass (kg) Incl. Braked Towing	5,557	5,442	
Roof Rack Load Limit (kg)	68		
Cargo Volume Behind 1st Row (L)	2,004		
Cargo Volume Behind 2nd Row (L)	1,067		
Suspension			
Type	Coil	Air	
Front	Multi-link independent front suspension, gas-charged, twin-tube coilover shock absorbers, all aluminium arms and knuckles		
Rear	Multi-link rear suspension, twin tube shocks (including load leveling for towing), all aluminium arms and knuckles (including extruded aluminium spring links)		
4x4 Specifics			
4x4 System	Jeep Quadra-Trac I	Jeep Quadra-Trac II	
Operating Mode	Full-time Active 4WD	4x4 Low (Lock), Neutral; Full-time Active 4x4	
Transfer Case	Single-speed electronically shifted	Two-speed electronically shifted	
Running Clearance (mm)	214	193	
Maximum Ground Clearance (mm)		276 ⁽²⁾	
Approach Angle (Degrees)	20.5	30.1 ⁽²⁾	28.2 ⁽²⁾
Breakover Angle (Degrees)	19.1	24.0 ⁽²⁾	20.9 ⁽²⁾
Departure Angle (Degrees)	26.6	28.4 ⁽²⁾	
Wading Depth (mm) ⁽¹⁰⁾	530	610 ⁽²⁾	

TECHNICAL INFORMATION

Grand Cherokee

	Grand Cherokee (7 seat)		
	Limited	Overland	Summit Reserve
Dimensions			
Length (mm)	5,204		
Width (mm)	2,149		
Height (mm)	1,815	1,817	
Wheelbase (mm)	3,091		
Front Track (mm)	1,660		
Rear Track (mm)	1,660		
Wheels & Tyres			
Wheel Type	Alloy		
Wheel Size (inches)	20 x 8.5	21 x 9.0	
Tyre Size	265 / 50	275 / 45	
Spare Wheel	265 / 60 R18 Full Size Steel		
Weights & Volumes			
Tare Weight (kg)	2,190	2,270	
Maximum Braked Towing Capacity (kg)(6)	2,813		
Maximum Unbraked Towing Capacity (kg)(6)	750		
Maximum Tongue Download (kg)(3)	281		
Gross Vehicle Mass (kg)	2,948	3,039	
Gross Combined Mass (kg) Incl. Braked Towing	5,761		
Roof Rack Load Limit (kg)	68		
Cargo Volume Behind 1st Row (L)	2,395		
Cargo Volume Behind 2nd Row (L)	1,328		
Cargo Volume Behind 3rd Row (*L)	487		
Suspension			
Type	Coil	Air	
Front	Multi-link independent front suspension, gas-charged, twin-tube coilover shock absorbers, all aluminium arms and knuckles		
Rear	Multi-link rear suspension, twin tube shocks (including load leveling for towing), all aluminium arms and knuckles (including extruded aluminium spring links)		
4x4 Specifics			
4x4 System	Jeep Quadra-Trac I	Jeep Quadra-Trac II	
Operating Mode	Full-time Active 4WD	4x4 Low (Lock), Neutral; Full-time Active 4x4	
Transfer Case	Single-speed electronically shifted	Two-speed electronically shifted	
Running Clearance (mm)	215		194
Maximum Ground Clearance (mm)	215		276 ⁽²⁾
Approach Angle (Degrees)	20.6	30.1 ⁽²⁾	28.2 ⁽²⁾
Breakover Angle (Degrees)	18.2	22.6 ⁽²⁾	
Departure Angle (Degrees)	21.5	23.6 ⁽²⁾	
Wading Depth (mm) ⁽¹⁰⁾	530	610 ⁽²⁾	

TECHNICAL INFORMATION

Jeep[®]

jeep.co.nz

(* Overseas models may be shown in imagery, New Zealand model and actual colours may vary. All product illustrations and specifications are based upon current information. Jeep New Zealand reserves the right to make changes from time to time, without notice or obligation, in prices, specifications, technical information, accessories, colours, materials and to change or discontinue models. All vehicles, models, features, colours and/or accessories shown may not be available in New Zealand from time to time or at all. "Optional" may mean available as an option but only at an additional cost. For the details of the vehicles, models, features, colours and/or accessories currently available in New Zealand, please contact an authorised Jeep Dealer.